

A = male thread

I = female thread

W = with angle

Adapter list for injection system testers LR DPAK

Vehicle type	DPAK ..	Order-No	Thread
ALFA ROMEO			
Schrader, no return flow	50	040802	M 8x1 I with release pin
gasoline engines	51	040803	push-in fitting with angle, short, Ø 8 mm
Diesel + Common Rail	49	040801	push-in fitting with angle, long, Ø 8 mm
	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
AUDI			
Audi 100 5-cylinder	3 14	040714 040749	M 8x1 A M 8x1 A, W
Audi, secondary adapter	10	040745	M 8x1 A
Audi 6-cylinder	12 13	040747 040748	M 14x1.5 I M 14x1.5 A
pump-injector technology	73	040824_1	M 12x1.5 A length 57.5 mm
MQB	98	040850_1	M 12x1.5
BMW			
	3	040714	M 8x1 A
	6	040742	M 8x1 I
	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
E36	74	040825_1	with release pin
CITROEN			
Evasion	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
Citroen XM	19	040754	M 16x1.5 A
XM	20	040755	M 16x1.5 I
DAEWOO			
	22	040757	7/16"- 20UNF V6
FIAT			
LE-Jetronic	1	040771	M 14x1.5 A, W
LE-Jetronic	2	040770	M 12x1.5 A, W
L-Jetronic + DPAK 05, Monotronic + DPAK 07	4	040740	M 12x1.5 A
L-Jetronic + DPAK 04	5	040741	M 12x1.5 I
Uno	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
Croma	12	040747	M 14x1.5 I
Punto ab Bj. 2000, Multipoint-System	34	040787	push-in fitting Ø 8 mm, 2 parts
Diesel + Common Rail	49	040801	push-in fitting Ø 8 mm with angle
Schrader no return flow	50	040802	M 8x1 I with release pin
gasoline-engines	51	040803	push-in fitting, Ø 8 mm with angle
for fuel lines with quick connections to SAE	66	040817_1	push-in fitting, angle, Ø 7.89 mm, length 33
FORD			
Fiesta 1,1 l	2	040770	M 12x1.5 A, W
	9	040744	M 10x1 A, W
	15	040750	M 10x1 I
Scorpio engine DOH 2,0 l	19	040754	M 16x1.5 A
Scorpio	20	040755	M 16x1.5 I
Standard	21	040756	M 10x1 I
	23	040760	M 16x1.5 I
Sierra, Scorpio	24	040762	push-in fitting, Ø 11 mm
	25	040764	nose with ringscrew

Mondeo	29	040774	VG 8 <i>I, W</i> with release pin
Mondeo	30	040776	VG 8 <i>I</i> with release pin
CFI	34	040787	push-in fitting, Ø 8 mm 2 parts
EFI	35	040788	push-in fitting, Ø 14 mm 2 parts
	45	040798	VG 8 <i>I</i> long tyre with O-ring
	56	040808	push in fitting, Ø 15 mm
for fuel lines with quick connections to SAE	68	040819_1	push-in fitting, angle, Ø 7.89 mm, length 21 mm
for fuel lines with quick connections to SAE. PSA	69	040820_1	push-in fitting, angle, Ø 9.89 mm, length 24.5 mm
HONDA			
	36	040789	M 12x1.25 <i>A</i> hollow screw
Civic Coupé, Honda CRV 2002 on, Stream 1,7 l + 2,0 l 2001 on; Civic Jazz 2001 on	52	040804	adapter with marked clip, green
Civic R 2001	53	040805	adapter with marked clip, turquoise
Accord 2003 on	61	040810_1	adapter with marked clip, white
HYUNDAI			
	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
	46	040799	1/8"x27NPT <i>A</i> length 58 mm
	36	040789	M 12x1.25 <i>A</i> hollow screw
Returnless-System with Rail, gasoline engines	72	040823_1	push-in fitting
JAGUAR			
	40	040793	1/4" <i>A</i> with closed cone
	41	040794	1/4" <i>A</i> with closed cone
X-, S-, XJ-, XK-series	59	040776_1	VG 8 <i>I</i> with release pin
for fuel lines with quick connections to SAE	65	040816_1	push-in fitting, angle, Ø 7.89 mm, length 21 mm
KIA			
Returnless-System with Rail, gasoline engines	72	040823_1	push-in fitting
LANCIA			
Diesel + Common Rail 1998 on	49	040801	push-in fitting with angle, long, Ø 8 mm
Schrader, no return flow	50	040802	M 8x1 <i>I</i> with release pin
gasoline engines	51	040803	push-in fitting with angle, short, Ø 8 mm
	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
MITSUBISHI			
	62	040813	M 8x1 <i>I</i> length 66 mm
Sonderadapter	9	040744	M 10x1 <i>A, W</i>
Galant, Space Wagon, Space Runner, Colt, Lancer	47	040704	M 12x1.25 <i>I</i> length 58 mm
MERCEDES BENZ			
	8	040743	M 10x1 <i>A</i>
	3	040714	M 8x1 <i>A</i>
	11	040746	M 8x1 <i>I</i>
secondary adapter	16	040751	M 10x1 <i>I</i>
Chrysler	26	040767	7/16"-20UNF
Chrysler	36	040789	M 12x1.25 <i>A</i> hollow screw
L+H Jetronic/LMH Motronic	28	040769	7/16"-20UNF V6 <i>I, W</i> rotatable with angle
engine type M 111, C180 DB, S-class	48	040705	7/16"-20UNF <i>I</i> with hose, 1 m
Vito	60	040809_1	push-in fitting
CDI, for fuel lines with quick connections to SAE	70	040821_1	push-in fitting
Actros 1848	95	040846_1	tank connection
	96	040848_1	7/16"-20UNF, 90° angle
NISSAN			
	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
OPEL/VAUX HALL			
Kadett 16 V, Astra 95, Vectra B, Omega B, Corsa B	22	040757	7/16"- 20UNF V6
Astra	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
	27	040768	7/16"-20UNF V6 <i>I, W</i>

	32	040782	M 14x1.5 <i>I</i>
	36	040789	M 12x1.25 <i>A</i> hollow screw
	40	040793	1/4" <i>A</i> closed cone
	41	040794	1/4" <i>A</i> closed cone
	45	040798	VG 8 <i>I</i> long tyre O-ring
1.4 l, 97 on	42	040795	M 16x1.5 <i>I</i> closed cone
PERKINS			
Perkins-Motor, Lucas Stanadyne, Zexel-Injection pump	75	040826_1	1/2" - 20 UNF
Perkins-Motor, Bosch-Injection pump	76	040827_1	1/2" - 20 UNF
Perkins-Motor, Bosch-Injection pump	77	040828_1	Ø 8,1 mm, both sides
Perkins-Motor, Heui-Injection pump	78	040829_1	Ø 9,5 mm, both sides
	79	040830_1	eyelet Ø 12 mm
	80	040831_1	eyelet Ø 14 mm
PEUGEOT			
	12	040747	M 14x1.5 <i>I</i>
	13	040748	M 14x1.5 <i>A</i>
206 1.1 l	56	040808	Ø 15 mm, push-in fitting
309, 205, 405	4	040740	M 12x1.5 <i>A</i>
806	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
206, 406, 307 2000 on	30	040776	VG 8 <i>I</i> with release pin
vehicles with plug and socket	34	040787	Ø 8 mm push-in fitting 2 parts
PORSCHE			
911, 924, 928	4	040740	M 12x1.5 <i>A</i>
911, 924, 928	14	040749	M 8x1 <i>A, W</i>
RENAULT			
engine type D + K, Twingo, Kangoo, Clio 1+2, Mégane, Laguna 1+2	55	040807	Ø 10 mm, push-in fitting
engine type F9Q CR, Clio 2, Mégane, Laguna, Espace, Trafic	58	040812_1	
Espace, Twingo	7	040765	Ø 6 mm, Ø 8 mm, fuel line, 2 parts
4, 9, 11, 18GTX, 11TXE	5	040741	M 12x1.5 <i>I</i>
4, 9, 11, 18GTX, 11TXE	4	040740	M 12x1.5 <i>A</i>
engine type F...Z, Espace, Avantime, Trafic	57	040811_1	
ROVER			
	43	040796	M 14x1.5 <i>A</i> closed cone
	44	040797	M 14x1.5 <i>I</i> closed cone
SAAB			
	5	040741	M 12x1.5 <i>I</i>
	37	040790	M 12x1.5 <i>A</i> hollow screw
SEAT			
	12	040747	M 14x1.5 <i>I</i>
STERLING TRIUMPF			
	38	040791	M 10x1 <i>A</i> hollow screw
TOYOTA			
	17	040752	M 10x1 <i>A, W</i> hose with sliding nut R 1/4"
	18	040753	M 8x1 <i>A, W</i> incl. racor con 1/4"
	39	040792	M 8x1 <i>A</i> hollow screw
VOLVO			
850, V40, V70, V 90, S60, S80	29	040774	VG 8 <i>I, W</i> rotatable, with angle, release pin
240, 740, 940 + DPAK 13	12	040747	M 14x1.5 <i>I</i>
240, 740, 940 + DPAK 12	13	040748	M 14x1.5 <i>A</i>
	18	040753	M 8x1 <i>A, W</i> hose with sliding nut R 1/4"
VW			
Golf	3	040714	M 8x1 <i>A</i>

Golf 2	32	040782	M 14x1.5 <i>I</i> with closed rounded head
Golf 16 V	21	040756	M 10x1 <i>I</i>
Bosch Mono-Jetronic, VW engine type RP	31	040778	nose spout, Ø 8 mm, 2 parts
Mono-Jetronic + DPAK 13	12	040747	M 14x1.5 <i>I</i>
pump-injector technology	73	040824_1	M 12x1.5 AG, length 57.5 mm
ADAPTER WITH PUSH - IN FITTINGS			
Various car manufacturers, for fuel lines with quick connections to SAE	64	040815_1	push-in fitting, angle, Ø 9.89 mm, length 30 mm
Various car manufacturers, for fuel lines with quick connections to SAE	65	040816_1	push-in fitting, angle, Ø 7.89 mm, length 21 mm
Various car manufacturers, for fuel lines with quick connections to SAE	66	040817_1	push-in fitting, angle, Ø 7.89 mm, length 33
Various car manufacturers, for fuel lines with quick connections to SAE	67	040818_1	push-in fitting, angle, Ø 9.49 mm, length 21 mm
Various car manufacturers, for fuel lines with quick connections to SAE	68	040819_1	push-in fitting, angle, Ø 7.89 mm, length 21 mm
Various car manufacturers, for fuel lines with quick connections to SAE	69	040820_1	push-in fitting, angle, Ø 9.89 mm, length 24.5 mm
DIVERSE			
	71	040822_1	Ø 6.5 mm, Ø 9 mm
two-part	81a 81b	040832_1 040832_2	SAE coupling, Ø 7.89 mm
two-part	82a 82b	040833_1 040833_2	SAE coupling, Ø 8 mm
two-part	83a 83b	040834_1 040834_2	SAE coupling, Ø 9.49 mm
two-part	84a 84b	040835_1 040835_2	SAE coupling, Ø 9.89 mm
two-part	85a 85b	040836_1 040836_2	SAE coupling, Ø 10 mm
two-part	86a 86b	040837_1 040837_2	SAE coupling, Ø 11.8 mm
	87	040851_1	hose connection, Ø 8 mm
	92	040843_1	M 10x1
	93	040844_1	M 22x1.5
	97	040849_1	VG8, 90° angle

A = male thread

I = female thread

W = with angle